











CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL INNAGE GAUGING AT 8" GAUGE HATCH

HULL No. 08-2377

Main data table with columns for depth (0 FT. to 12 FT.) and fractional increments (0, 1/4, 1/2, 3/4) for each integer depth. Values represent capacities in barrels.

NOTE: GAUGE POINT: TOP LIP OF 8" GAUGE HATCH OPPOSITE HINGE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. REFERENCE GAUGE HEIGHT: 12' 10 3/4" OPPOSITE HINGE OF 8" HATCH

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8-27-2009 BY:JMF DATE COMPUTED: 8/30/2009 BY:WHF DATE ISSUED: 8/30/2009

INTERTEK - CALEB BRETT

Handwritten signature of Caleb Brett



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL ULLAGE GAUGING AT 8" GAUGE HATCH

HULL No. 08-2377

Table with columns for depth (0 FT. to 13 FT.) and sub-columns for height increments (0, 1/4, 1/2, 3/4). Each cell contains a numerical capacity value.

NOTE: GAUGE POINT: TOP LIP OF 8" GAUGE HATCH OPPOSITE HINGE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.. REFERENCE GAUGE HEIGHT: 13' 1 3/4" OPPOSITE HINGE OF 8" HATCH

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8-27-2009 BY:JMF DATE COMPUTED: BY:8/30/2009 DATE ISSUED: 8/30/2009

INTERTEK - CALEB BRETT

Signature of Caleb Brett











GAUGE HEIGHT - PORT: 3' 10 3/4"

GAUGE HEIGHT - STBD: 3' 10 3/4"

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.
0	0	6	1,077	0	2,155	6	3,232	0	4,309	6	5,387	0	6,464	6	7,474
1/8	22	1/8	1,100	1/8	2,177	1/8	3,254	1/8	4,332	1/8	5,409	1/8	6,486	1/8	7,480
1/4	45	1/4	1,122	1/4	2,200	1/4	3,277	1/4	4,354	1/4	5,432	1/4	6,509	1/4	7,483
3/8	67	3/8	1,145	3/8	2,222	3/8	3,299	3/8	4,377	3/8	5,454	3/8	6,531	3/8	7,485
1/2	90	1/2	1,167	1/2	2,244	1/2	3,322	1/2	4,399	1/2	5,476	1/2	6,554	1/2	7,486
5/8	112	5/8	1,190	5/8	2,267	5/8	3,344	5/8	4,422	5/8	5,499	5/8	6,576	5/8	7,487
3/4	135	3/4	1,212	3/4	2,289	3/4	3,367	3/4	4,444	3/4	5,521	3/4	6,599	3/4	7,487
7/8	157	7/8	1,234	7/8	2,312	7/8	3,389	7/8	4,466	7/8	5,544	7/8	6,621	7/8	7,487
1	180	7	1,257	1	2,334	7	3,412	1	4,489	7	5,566	1	6,644	7	7,487
1/8	202	1/8	1,279	1/8	2,357	1/8	3,434	1/8	4,511	1/8	5,589	1/8	6,666	1/8	7,487
1/4	224	1/4	1,302	1/4	2,379	1/4	3,456	1/4	4,534	1/4	5,611	1/4	6,688	1/4	7,487
3/8	247	3/8	1,324	3/8	2,402	3/8	3,479	3/8	4,556	3/8	5,634	3/8	6,711	3/8	7,487
1/2	269	1/2	1,347	1/2	2,424	1/2	3,501	1/2	4,579	1/2	5,656	1/2	6,733	1/2	7,487
5/8	292	5/8	1,369	5/8	2,446	5/8	3,524	5/8	4,601	5/8	5,678	5/8	6,756	5/8	7,487
3/4	314	3/4	1,392	3/4	2,469	3/4	3,546	3/4	4,624	3/4	5,701	3/4	6,778	3/4	7,487
7/8	337	7/8	1,414	7/8	2,491	7/8	3,569	7/8	4,646	7/8	5,723	7/8	6,801	7/8	7,487
2	359	8	1,436	2	2,514	8	3,591	2	4,668	8	5,746	2	6,823	8	7,487
1/8	382	1/8	1,459	1/8	2,536	1/8	3,614	1/8	4,691	1/8	5,768	1/8	6,846	1/8	7,487
1/4	404	1/4	1,481	1/4	2,559	1/4	3,636	1/4	4,713	1/4	5,791	1/4	6,868	1/4	7,487
3/8	426	3/8	1,504	3/8	2,581	3/8	3,658	3/8	4,736	3/8	5,813	3/8	6,890	3/8	7,487
1/2	449	1/2	1,526	1/2	2,604	1/2	3,681	1/2	4,758	1/2	5,836	1/2	6,913	1/2	7,487
5/8	471	5/8	1,549	5/8	2,626	5/8	3,703	5/8	4,781	5/8	5,858	5/8	6,935	5/8	7,487
3/4	494	3/4	1,571	3/4	2,648	3/4	3,726	3/4	4,803	3/4	5,880	3/4	6,958	3/4	7,487
7/8	516	7/8	1,594	7/8	2,671	7/8	3,748	7/8	4,826	7/8	5,903	7/8	6,980	7/8	7,487
3	539	9	1,616	3	2,693	9	3,771	3	4,848	9	5,925	3	7,003	9	7,487
1/8	561	1/8	1,638	1/8	2,716	1/8	3,793	1/8	4,870	1/8	5,948	1/8	7,025	1/8	7,487
1/4	584	1/4	1,661	1/4	2,738	1/4	3,816	1/4	4,893	1/4	5,970	1/4	7,048	1/4	7,487
3/8	606	3/8	1,683	3/8	2,761	3/8	3,838	3/8	4,915	3/8	5,993	3/8	7,070	3/8	7,487
1/2	628	1/2	1,706	1/2	2,783	1/2	3,860	1/2	4,938	1/2	6,015	1/2	7,092	1/2	7,487
5/8	651	5/8	1,728	5/8	2,806	5/8	3,883	5/8	4,960	5/8	6,038	5/8	7,115	5/8	7,487
3/4	673	3/4	1,751	3/4	2,828	3/4	3,905	3/4	4,983	3/4	6,060	3/4	7,137	3/4	7,487
7/8	696	7/8	1,773	7/8	2,850	7/8	3,928	7/8	5,005	7/8	6,082	7/8	7,160	7/8	7,487
4	718	10	1,796	4	2,873	10	3,950	4	5,028	10	6,105	4	7,182	10	7,487
1/8	741	1/8	1,818	1/8	2,895	1/8	3,973	1/8	5,050	1/8	6,127	1/8	7,205	1/8	7,487
1/4	763	1/4	1,840	1/4	2,918	1/4	3,995	1/4	5,072	1/4	6,150	1/4	7,227	1/4	7,487
3/8	786	3/8	1,863	3/8	2,940	3/8	4,018	3/8	5,095	3/8	6,172	3/8	7,250	3/8	7,487
1/2	808	1/2	1,885	1/2	2,963	1/2	4,040	1/2	5,117	1/2	6,195	1/2	7,272	1/2	7,487
5/8	830	5/8	1,908	5/8	2,985	5/8	4,062	5/8	5,140	5/8	6,217	5/8	7,294	5/8	7,487
3/4	853	3/4	1,930	3/4	3,008	3/4	4,085	3/4	5,162	3/4	6,240	3/4	7,317	3/4	7,487
7/8	875	7/8	1,953	7/8	3,030	7/8	4,107	7/8	5,185	7/8	6,262	7/8	7,339	7/8	7,487
5	898	11	1,975	5	3,052	11	4,130	5	5,207	11	6,284	5	7,362	11	7,487
1/8	920	1/8	1,998	1/8	3,075	1/8	4,152	1/8	5,230	1/8	6,307	1/8	7,382	1/8	7,487
1/4	943	1/4	2,020	1/4	3,097	1/4	4,175	1/4	5,252	1/4	6,329	1/4	7,401	1/4	7,487
3/8	965	3/8	2,042	3/8	3,120	3/8	4,197	3/8	5,274	3/8	6,352	3/8	7,418	3/8	7,487
1/2	988	1/2	2,065	1/2	3,142	1/2	4,220	1/2	5,297	1/2	6,374	1/2	7,433	1/2	7,487
5/8	1,010	5/8	2,087	5/8	3,165	5/8	4,242	5/8	5,319	5/8	6,397	5/8	7,446	5/8	7,487
3/4	1,032	3/4	2,110	3/4	3,187	3/4	4,264	3/4	5,342	3/4	6,419	3/4	7,457	3/4	7,487
7/8	1,055	7/8	2,132	7/8	3,210	7/8	4,287	7/8	5,364	7/8	6,442	7/8	7,466	7/8	7,487

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

**INTERTEK - CALEB BRETT**

DATE STRAPPED: 8-27-2009 BY:JMF  
 DATE COMPUTED: 8/30/2009 BY:WHF  
 DATE ISSUED: 8/30/2009

