



BARGE: GM 1001

HULL No. 13-2779

1 PORT
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 1 1/2"

Table with columns for height (IN 0 FT. to 15 FT.) and rows for depth (0, 1/4, 1/2, 3/4) for each height. Each cell contains a numerical value representing capacity in barrels.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES

OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 9/10/2013 BY: JMF

DATE COMPUTED: 9/27/2013 BY: WHF

DATE ISSUED: 9/30/2013

INTERTEK - CALEB BRETT

Handwritten signature of Caleb Brett













BARGE: GM 1001

HULL No. 13-2779

TRIM CORRECTION REQUIRED

3 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 15' 10 3/4"

Main data table with columns for height (0 to 15 FT) and depth (0 to 3/4). Includes correction values in FT and INCHES.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED.
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.
NOTE: GAUGE POINT LOCATED 32" 9" FROM FORE BULKHEAD - USE TRIM CORRECTION WHEN REQUIRED - SUBTRACT CORRECTION FROM INNAGE.
NOTE: TRIM CORRECTION TABLE IS APPLICABLE TO INNAGES GREATER THAN: 10'-6"; LESS THAN, ADD THE CORRECTION TO INNAGE

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 9/10/2013 BY: JMF
DATE COMPUTED: 9/27/2013 BY: WHF
DATE ISSUED: 9/30/2013

INTERTEK - CALEB BRETT

Handwritten signature of Caleb Brett







CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 1"

Table with 24 columns (IN 0 to IN 16 FT.) and multiple rows (0 to 11 FT. with 1/4, 1/2, 3/4 increments) containing capacity values in barrels.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL

NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 9/10/2013 BY: JMF

DATE COMPUTED: 9/27/2013 BY: WHF

DATE ISSUED: 9/30/2013

INTERTEK - CALEB BRETT

Handwritten signature or mark.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 1"

Table with columns for height (0 to 16 FT) and capacity (0 to 16 FT). Rows are grouped by height (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11) and sub-heights (1/4, 1/2, 3/4). Each cell contains capacity values for different gauge heights.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 9/10/2013 BY: JMF

DATE COMPUTED: 9/27/2013 BY: WHF

DATE ISSUED: 9/30/2013

INTERTEK - CALEB BRETT

Handwritten signature of Caleb Brett



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 15' 10 3/4"

Main data table with columns for height (1 FT. to 16 FT.), capacity (IN, 0, 1/4, 1/2, 3/4), and trim correction (FT, INCHES).

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.

DATE STRAPPED: 9/10/2013 BY: JMF

INTERTEK - CALEB BRETT

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED.

DATE COMPUTED: 9/27/2013 BY: WHF

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

DATE ISSUED: 9/30/2013

NOTE: GAUGE POINT LOCATED 32" 9" FROM FORE BULKHEAD - USE TRIM CORRECTION WHEN REQUIRED - ADD CORRECTION TO ULLAGE.

NOTE: TRIM CORRECTION TABLE IS APPLICABLE TO ULLAGES LESS THAN: 5' -5"; GREATER THAN, SUBTRACT THE CORRECTION FROM ULLAGE

Signature of Caleb Brett





# BARGE: GM 1001

HULL No. 13-2779

# FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 4' 2 1/4"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.
<b>0</b>	0	<b>6</b>	2,053	<b>0</b>	4,106	<b>6</b>	6,159	<b>0</b>	8,212	<b>6</b>	10,265	<b>0</b>	12,318	<b>6</b>	14,315	<b>0</b>		<b>6</b>	
1/8	43	1/8	2,096	1/8	4,149	1/8	6,202	1/8	8,255	1/8	10,308	1/8	12,360	1/8	14,355	1/8		1/8	
1/4	86	1/4	2,138	1/4	4,191	1/4	6,244	1/4	8,297	1/4	10,350	1/4	12,403	1/4	14,393	1/4		1/4	
3/8	128	3/8	2,181	3/8	4,234	3/8	6,287	3/8	8,340	3/8	10,393	3/8	12,446	3/8	14,429	3/8		3/8	
1/2	171	1/2	2,224	1/2	4,277	1/2	6,330	1/2	8,383	1/2	10,436	1/2	12,489	1/2	14,464	1/2		1/2	
5/8	214	5/8	2,267	5/8	4,320	5/8	6,373	5/8	8,426	5/8	10,479	5/8	12,532	5/8	14,497	5/8		5/8	
3/4	257	3/4	2,310	3/4	4,363	3/4	6,415	3/4	8,468	3/4	10,521	3/4	12,574	3/4	14,528	3/4		3/4	
7/8	299	7/8	2,352	7/8	4,405	7/8	6,458	7/8	8,511	7/8	10,564	7/8	12,617	7/8	14,557	7/8		7/8	
<b>1</b>	342	<b>7</b>	2,395	<b>1</b>	4,448	<b>7</b>	6,501	<b>1</b>	8,554	<b>7</b>	10,607	<b>1</b>	12,660	<b>7</b>	14,584	<b>1</b>		<b>7</b>	
1/8	385	1/8	2,438	1/8	4,491	1/8	6,544	1/8	8,597	1/8	10,650	1/8	12,701	1/8	14,610	1/8		1/8	
1/4	428	1/4	2,481	1/4	4,534	1/4	6,587	1/4	8,640	1/4	10,692	1/4	12,743	1/4	14,634	1/4		1/4	
3/8	470	3/8	2,523	3/8	4,576	3/8	6,629	3/8	8,682	3/8	10,735	3/8	12,784	3/8	14,657	3/8		3/8	
1/2	513	1/2	2,566	1/2	4,619	1/2	6,672	1/2	8,725	1/2	10,778	1/2	12,825	1/2	14,678	1/2		1/2	
5/8	556	5/8	2,609	5/8	4,662	5/8	6,715	5/8	8,768	5/8	10,821	5/8	12,867	5/8	14,697	5/8		5/8	
3/4	599	3/4	2,652	3/4	4,705	3/4	6,758	3/4	8,811	3/4	10,864	3/4	12,908	3/4	14,714	3/4		3/4	
7/8	642	7/8	2,695	7/8	4,747	7/8	6,800	7/8	8,853	7/8	10,906	7/8	12,950	7/8	14,729	7/8		7/8	
<b>2</b>	684	<b>8</b>	2,737	<b>2</b>	4,790	<b>8</b>	6,843	<b>2</b>	8,896	<b>8</b>	10,949	<b>2</b>	12,991	<b>8</b>	14,743	<b>2</b>		<b>8</b>	
1/8	727	1/8	2,780	1/8	4,833	1/8	6,886	1/8	8,939	1/8	10,992	1/8	13,032	1/8	14,755	1/8		1/8	
1/4	770	1/4	2,823	1/4	4,876	1/4	6,929	1/4	8,982	1/4	11,035	1/4	13,074	1/4	14,766	1/4		1/4	
3/8	813	3/8	2,866	3/8	4,919	3/8	6,971	3/8	9,024	3/8	11,077	3/8	13,115	3/8	14,774	3/8		3/8	
1/2	855	1/2	2,908	1/2	4,961	1/2	7,014	1/2	9,067	1/2	11,120	1/2	13,157	1/2	14,781	1/2		1/2	
5/8	898	5/8	2,951	5/8	5,004	5/8	7,057	5/8	9,110	5/8	11,163	5/8	13,198	5/8	14,786	5/8		5/8	
3/4	941	3/4	2,994	3/4	5,047	3/4	7,100	3/4	9,153	3/4	11,206	3/4	13,239	3/4	14,790	3/4		3/4	
7/8	984	7/8	3,037	7/8	5,090	7/8	7,143	7/8	9,196	7/8	11,248	7/8	13,281	7/8	14,791	7/8		7/8	
<b>3</b>	1,026	<b>9</b>	3,079	<b>3</b>	5,132	<b>9</b>	7,185	<b>3</b>	9,238	<b>9</b>	11,291	<b>3</b>	13,322	<b>9</b>		<b>3</b>		<b>9</b>	
1/8	1,069	1/8	3,122	1/8	5,175	1/8	7,228	1/8	9,281	1/8	11,334	1/8	13,363	1/8		1/8		1/8	
1/4	1,112	1/4	3,165	1/4	5,218	1/4	7,271	1/4	9,324	1/4	11,377	1/4	13,405	1/4		1/4		1/4	
3/8	1,155	3/8	3,208	3/8	5,261	3/8	7,314	3/8	9,367	3/8	11,420	3/8	13,446	3/8		3/8		3/8	
1/2	1,198	1/2	3,251	1/2	5,303	1/2	7,356	1/2	9,409	1/2	11,462	1/2	13,488	1/2		1/2		1/2	
5/8	1,240	5/8	3,293	5/8	5,346	5/8	7,399	5/8	9,452	5/8	11,505	5/8	13,529	5/8		5/8		5/8	
3/4	1,283	3/4	3,336	3/4	5,389	3/4	7,442	3/4	9,495	3/4	11,548	3/4	13,570	3/4		3/4		3/4	
7/8	1,326	7/8	3,379	7/8	5,432	7/8	7,485	7/8	9,538	7/8	11,591	7/8	13,612	7/8		7/8		7/8	
<b>4</b>	1,369	<b>10</b>	3,422	<b>4</b>	5,475	<b>10</b>	7,527	<b>4</b>	9,580	<b>10</b>	11,633	<b>4</b>	13,653	<b>10</b>		<b>4</b>		<b>10</b>	
1/8	1,411	1/8	3,464	1/8	5,517	1/8	7,570	1/8	9,623	1/8	11,676	1/8	13,695	1/8		1/8		1/8	
1/4	1,454	1/4	3,507	1/4	5,560	1/4	7,613	1/4	9,666	1/4	11,719	1/4	13,736	1/4		1/4		1/4	
3/8	1,497	3/8	3,550	3/8	5,603	3/8	7,656	3/8	9,709	3/8	11,762	3/8	13,777	3/8		3/8		3/8	
1/2	1,540	1/2	3,593	1/2	5,646	1/2	7,699	1/2	9,752	1/2	11,804	1/2	13,819	1/2		1/2		1/2	
5/8	1,582	5/8	3,635	5/8	5,688	5/8	7,741	5/8	9,794	5/8	11,847	5/8	13,860	5/8		5/8		5/8	
3/4	1,625	3/4	3,678	3/4	5,731	3/4	7,784	3/4	9,837	3/4	11,890	3/4	13,902	3/4		3/4		3/4	
7/8	1,668	7/8	3,721	7/8	5,774	7/8	7,827	7/8	9,880	7/8	11,933	7/8	13,943	7/8		7/8		7/8	
<b>5</b>	1,711	<b>11</b>	3,764	<b>5</b>	5,817	<b>11</b>	7,870	<b>5</b>	9,923	<b>11</b>	11,976	<b>5</b>	13,984	<b>11</b>		<b>5</b>		<b>11</b>	
1/8	1,754	1/8	3,807	1/8	5,859	1/8	7,912	1/8	9,965	1/8	12,018	1/8	14,026	1/8		1/8		1/8	
1/4	1,796	1/4	3,849	1/4	5,902	1/4	7,955	1/4	10,008	1/4	12,061	1/4	14,067	1/4		1/4		1/4	
3/8	1,839	3/8	3,892	3/8	5,945	3/8	7,998	3/8	10,051	3/8	12,104	3/8	14,108	3/8		3/8		3/8	
1/2	1,882	1/2	3,935	1/2	5,988	1/2	8,041	1/2	10,094	1/2	12,147	1/2	14,150	1/2		1/2		1/2	
5/8	1,925	5/8	3,978	5/8	6,031	5/8	8,084	5/8	10,136	5/8	12,189	5/8	14,191	5/8		5/8		5/8	
3/4	1,967	3/4	4,020	3/4	6,073	3/4	8,126	3/4	10,179	3/4	12,232	3/4	14,233	3/4		3/4		3/4	
7/8	2,010	7/8	4,063	7/8	6,116	7/8	8,169	7/8	10,222	7/8	12,275	7/8	14,274	7/8		7/8		7/8	

NOTE: GAUGE FROM 8" GAUGE HATCH OPPOSITE HINGE

DATE STRAPPED: 9/10/2013 BY: JMF

DATE COMPUTED: 9/24/2013 BY: WHF

DATE ISSUED: 9/24/2013

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

**INTERTEK - CALEB BRETT**

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 4'-2 1/4"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.
<b>0</b>		<b>6</b>	14,766	<b>0</b>	13,074	<b>6</b>	11,035	<b>0</b>	8,982	<b>6</b>	6,929	<b>0</b>	4,876	<b>6</b>	2,823	<b>0</b>	770	<b>6</b>	
1/8		1/8	14,755	1/8	13,032	1/8	10,992	1/8	8,939	1/8	6,886	1/8	4,833	1/8	2,780	1/8	727	1/8	
1/4		1/4	14,743	1/4	12,991	1/4	10,949	1/4	8,896	1/4	6,843	1/4	4,790	1/4	2,737	1/4	684	1/4	
3/8		3/8	14,729	3/8	12,950	3/8	10,906	3/8	8,853	3/8	6,800	3/8	4,747	3/8	2,695	3/8	642	3/8	
1/2		1/2	14,714	1/2	12,908	1/2	10,864	1/2	8,811	1/2	6,758	1/2	4,705	1/2	2,652	1/2	599	1/2	
5/8		5/8	14,697	5/8	12,867	5/8	10,821	5/8	8,768	5/8	6,715	5/8	4,662	5/8	2,609	5/8	556	5/8	
3/4		3/4	14,678	3/4	12,825	3/4	10,778	3/4	8,725	3/4	6,672	3/4	4,619	3/4	2,566	3/4	513	3/4	
7/8		7/8	14,657	7/8	12,784	7/8	10,735	7/8	8,682	7/8	6,629	7/8	4,576	7/8	2,523	7/8	470	7/8	
<b>1</b>		<b>7</b>	14,634	<b>1</b>	12,743	<b>7</b>	10,692	<b>1</b>	8,640	<b>7</b>	6,587	<b>1</b>	4,534	<b>7</b>	2,481	<b>1</b>	428	<b>7</b>	
1/8		1/8	14,610	1/8	12,701	1/8	10,650	1/8	8,597	1/8	6,544	1/8	4,491	1/8	2,438	1/8	385	1/8	
1/4		1/4	14,584	1/4	12,660	1/4	10,607	1/4	8,554	1/4	6,501	1/4	4,448	1/4	2,395	1/4	342	1/4	
3/8		3/8	14,557	3/8	12,617	3/8	10,564	3/8	8,511	3/8	6,458	3/8	4,405	3/8	2,352	3/8	299	3/8	
1/2		1/2	14,528	1/2	12,574	1/2	10,521	1/2	8,468	1/2	6,415	1/2	4,363	1/2	2,310	1/2	257	1/2	
5/8		5/8	14,497	5/8	12,532	5/8	10,479	5/8	8,426	5/8	6,373	5/8	4,320	5/8	2,267	5/8	214	5/8	
3/4		3/4	14,464	3/4	12,489	3/4	10,436	3/4	8,383	3/4	6,330	3/4	4,277	3/4	2,224	3/4	171	3/4	
7/8		7/8	14,429	7/8	12,446	7/8	10,393	7/8	8,340	7/8	6,287	7/8	4,234	7/8	2,181	7/8	128	7/8	
<b>2</b>		<b>8</b>	14,393	<b>2</b>	12,403	<b>8</b>	10,350	<b>2</b>	8,297	<b>8</b>	6,244	<b>2</b>	4,191	<b>8</b>	2,138	<b>2</b>	86	<b>8</b>	
1/8		1/8	14,355	1/8	12,360	1/8	10,308	1/8	8,255	1/8	6,202	1/8	4,149	1/8	2,096	1/8	43	1/8	
1/4		1/4	14,315	1/4	12,318	1/4	10,265	1/4	8,212	1/4	6,159	1/4	4,106	1/4	2,053	1/4	0	1/4	
3/8		3/8	14,274	3/8	12,275	3/8	10,222	3/8	8,169	3/8	6,116	3/8	4,063	3/8	2,010	3/8		3/8	
1/2		1/2	14,233	1/2	12,232	1/2	10,179	1/2	8,126	1/2	6,073	1/2	4,020	1/2	1,967	1/2		1/2	
5/8		5/8	14,191	5/8	12,189	5/8	10,136	5/8	8,084	5/8	6,031	5/8	3,978	5/8	1,925	5/8		5/8	
3/4		3/4	14,150	3/4	12,147	3/4	10,094	3/4	8,041	3/4	5,988	3/4	3,935	3/4	1,882	3/4		3/4	
7/8		7/8	14,108	7/8	12,104	7/8	10,051	7/8	7,998	7/8	5,945	7/8	3,892	7/8	1,839	7/8		7/8	
<b>3</b>		<b>9</b>	14,067	<b>3</b>	12,061	<b>9</b>	10,008	<b>3</b>	7,955	<b>9</b>	5,902	<b>3</b>	3,849	<b>9</b>	1,796	<b>3</b>		<b>9</b>	
1/8		1/8	14,026	1/8	12,018	1/8	9,965	1/8	7,912	1/8	5,859	1/8	3,807	1/8	1,754	1/8		1/8	
1/4		1/4	13,984	1/4	11,976	1/4	9,923	1/4	7,870	1/4	5,817	1/4	3,764	1/4	1,711	1/4		1/4	
3/8		3/8	13,943	3/8	11,933	3/8	9,880	3/8	7,827	3/8	5,774	3/8	3,721	3/8	1,668	3/8		3/8	
1/2		1/2	13,902	1/2	11,890	1/2	9,837	1/2	7,784	1/2	5,731	1/2	3,678	1/2	1,625	1/2		1/2	
5/8		5/8	13,860	5/8	11,847	5/8	9,794	5/8	7,741	5/8	5,688	5/8	3,635	5/8	1,582	5/8		5/8	
3/4		3/4	13,819	3/4	11,804	3/4	9,752	3/4	7,699	3/4	5,646	3/4	3,593	3/4	1,540	3/4		3/4	
7/8		7/8	13,777	7/8	11,762	7/8	9,709	7/8	7,656	7/8	5,603	7/8	3,550	7/8	1,497	7/8		7/8	
<b>4</b>		<b>10</b>	13,736	<b>4</b>	11,719	<b>10</b>	9,666	<b>4</b>	7,613	<b>10</b>	5,560	<b>4</b>	3,507	<b>10</b>	1,454	<b>4</b>		<b>10</b>	
1/8		1/8	13,695	1/8	11,676	1/8	9,623	1/8	7,570	1/8	5,517	1/8	3,464	1/8	1,411	1/8		1/8	
1/4		1/4	13,653	1/4	11,633	1/4	9,580	1/4	7,527	1/4	5,475	1/4	3,422	1/4	1,369	1/4		1/4	
3/8		3/8	13,612	3/8	11,591	3/8	9,538	3/8	7,485	3/8	5,432	3/8	3,379	3/8	1,326	3/8		3/8	
1/2		1/2	13,570	1/2	11,548	1/2	9,495	1/2	7,442	1/2	5,389	1/2	3,336	1/2	1,283	1/2		1/2	
5/8		5/8	13,529	5/8	11,505	5/8	9,452	5/8	7,399	5/8	5,346	5/8	3,293	5/8	1,240	5/8		5/8	
3/4		3/4	13,488	3/4	11,462	3/4	9,409	3/4	7,356	3/4	5,303	3/4	3,251	3/4	1,198	3/4		3/4	
7/8		7/8	13,446	7/8	11,420	7/8	9,367	7/8	7,314	7/8	5,261	7/8	3,208	7/8	1,155	7/8		7/8	
<b>5</b>		<b>11</b>	13,405	<b>5</b>	11,377	<b>11</b>	9,324	<b>5</b>	7,271	<b>11</b>	5,218	<b>5</b>	3,165	<b>11</b>	1,112	<b>5</b>		<b>11</b>	
1/8		1/8	13,363	1/8	11,334	1/8	9,281	1/8	7,228	1/8	5,175	1/8	3,122	1/8	1,069	1/8		1/8	
1/4		1/4	13,322	1/4	11,291	1/4	9,238	1/4	7,185	1/4	5,132	1/4	3,079	1/4	1,026	1/4		1/4	
3/8	14,791	3/8	13,281	3/8	11,248	3/8	9,196	3/8	7,143	3/8	5,090	3/8	3,037	3/8	984	3/8		3/8	
1/2	14,790	1/2	13,239	1/2	11,206	1/2	9,153	1/2	7,100	1/2	5,047	1/2	2,994	1/2	941	1/2		1/2	
5/8	14,786	5/8	13,198	5/8	11,163	5/8	9,110	5/8	7,057	5/8	5,004	5/8	2,951	5/8	898	5/8		5/8	
3/4	14,781	3/4	13,157	3/4	11,120	3/4	9,067	3/4	7,014	3/4	4,961	3/4	2,908	3/4	855	3/4		3/4	
7/8	14,774	7/8	13,115	7/8	11,077	7/8	9,024	7/8	6,971	7/8	4,919	7/8	2,866	7/8	813	7/8		7/8	

NOTE: GAUGE FROM 8" GAUGE HATCH OPPOSITE HINGE

DATE STRAPPED: 9/10/2013 BY: JMF

DATE COMPUTED: 9/24/2013 BY: WHF

DATE ISSUED: 9/24/2013

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

**INTERTEK - CALEB BRETT**

