









**BARGE "FMT 5022"  
FLORIDA MARINE**

**3 PORT  
INNAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL INNAGE GAUGING AT 8" GAUGE HATCH

HULL No. 05-2549

Table with 22 columns (IN 0 FT. to 14 FT.) and 22 rows (0 to 11). Each cell contains numerical values representing capacities and heights in feet and inches (e.g., 0, 1/4, 1/2, 3/4).

NOTE: GAUGE POINT: TOP LIP OF 8" GAUGE HATCH OPPOSITE HINGE  
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
REFERENCE GAUGE HEIGHT: 12' 2 1/2" VALVE

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES  
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/12/08 BY: JF  
DATE COMPUTED: 10/16/08 BY: WHF  
DATE ISSUED: 10/17/08

**INTERTEK - CALEB BRETT**





CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL ULLAGE GAUGING AT 8" GAUGE HATCH

HULL No. 05-2549

Table with columns for depth (0 to 13 FT) and ullage measurements for various tank levels (0 to 11). Rows show measurements for 0, 1/4, 1/2, and 3/4 increments for each level.

NOTE: GAUGE POINT: TOP LIP OF 8" GAUGE HATCH OPPOSITE HINGE
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 12" 6" HERMETIC

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/12/08 BY: JF
DATE COMPUTED: 10/16/08 BY: WHF
DATE ISSUED: 10/17/08

INTERTEK - CALEB BRETT





CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL ULLAGE GAUGING AT 8" GAUGE HATCH

HULL No. 05-2549

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.
0		0	4,122.92	0	3,764.17	0	3,405.43	0	3,046.68	0	2,687.94	0	2,329.20	0	1,970.45	0	1,611.71	0	1,252.96	0	894.22	0	536.79	0	178.04	0	
1/4		1/4	4,115.44	1/4	3,756.70	1/4	3,397.96	1/4	3,039.21	1/4	2,680.47	1/4	2,321.72	1/4	1,962.98	1/4	1,604.23	1/4	1,245.49	1/4	886.75	1/4	529.31	1/4	170.57	1/4	
1/2		1/2	4,107.97	1/2	3,749.23	1/2	3,390.48	1/2	3,031.74	1/2	2,672.99	1/2	2,314.25	1/2	1,955.50	1/2	1,596.76	1/2	1,238.02	1/2	879.31	1/2	521.84	1/2	163.68	1/2	
3/4		3/4	4,100.50	3/4	3,741.75	3/4	3,383.01	3/4	3,024.26	3/4	2,665.52	3/4	2,306.78	3/4	1,948.03	3/4	1,589.29	3/4	1,230.54	3/4	871.86	3/4	514.37	3/4	156.80	3/4	
1		1	4,093.02	1	3,734.28	1	3,375.53	1	3,016.79	1	2,658.05	1	2,299.30	1	1,940.56	1	1,581.81	1	1,223.07	1	864.42	1	506.89	1	149.92	1	
1/4		1/4	4,085.55	1/4	3,726.80	1/4	3,368.06	1/4	3,009.32	1/4	2,650.57	1/4	2,291.83	1/4	1,933.08	1/4	1,574.34	1/4	1,215.59	1/4	856.98	1/4	499.42	1/4	143.03	1/4	
1/2		1/2	4,078.07	1/2	3,719.33	1/2	3,360.59	1/2	3,001.84	1/2	2,643.10	1/2	2,284.35	1/2	1,925.61	1/2	1,566.87	1/2	1,208.12	1/2	849.54	1/2	491.94	1/2	136.15	1/2	
3/4		3/4	4,070.60	3/4	3,711.86	3/4	3,353.11	3/4	2,994.37	3/4	2,635.62	3/4	2,276.88	3/4	1,918.14	3/4	1,559.39	3/4	1,200.65	3/4	842.10	3/4	484.47	3/4	129.26	3/4	
2		2	4,063.13	2	3,704.38	2	3,345.64	2	2,986.89	2	2,628.15	2	2,269.41	2	1,910.66	2	1,551.92	2	1,193.17	2	834.66	2	477.00	2	122.38	2	
1/4		1/4	4,055.65	1/4	3,696.91	1/4	3,338.16	1/4	2,979.42	1/4	2,620.68	1/4	2,261.93	1/4	1,903.19	1/4	1,544.44	1/4	1,185.70	1/4	827.22	1/4	469.52	1/4	115.49	1/4	
1/2		1/2	4,048.18	1/2	3,689.43	1/2	3,330.69	1/2	2,971.95	1/2	2,613.20	1/2	2,254.46	1/2	1,895.71	1/2	1,536.97	1/2	1,178.23	1/2	819.78	1/2	462.05	1/2	108.61	1/2	
3/4		3/4	4,040.71	3/4	3,681.96	3/4	3,323.22	3/4	2,964.47	3/4	2,605.73	3/4	2,246.98	3/4	1,888.24	3/4	1,529.50	3/4	1,170.75	3/4	812.34	3/4	454.57	3/4	101.73	3/4	
3		3	4,033.23	3	3,674.49	3	3,315.74	3	2,957.00	3	2,598.25	3	2,239.51	3	1,880.77	3	1,522.02	3	1,163.28	3	804.89	3	447.10	3	94.84	3	
1/4		1/4	4,025.76	1/4	3,667.01	1/4	3,308.27	1/4	2,949.53	1/4	2,590.78	1/4	2,232.04	1/4	1,873.29	1/4	1,514.55	1/4	1,155.80	1/4	797.45	1/4	439.63	1/4	87.96	1/4	
1/2		1/2	4,018.28	1/2	3,659.54	1/2	3,300.80	1/2	2,942.05	1/2	2,583.31	1/2	2,224.56	1/2	1,865.82	1/2	1,507.07	1/2	1,148.33	1/2	790.01	1/2	432.15	1/2	81.07	1/2	
3/4		3/4	4,010.81	3/4	3,652.07	3/4	3,293.32	3/4	2,934.58	3/4	2,575.83	3/4	2,217.09	3/4	1,858.34	3/4	1,499.60	3/4	1,140.86	3/4	782.57	3/4	424.68	3/4	74.19	3/4	
4		4	4,003.34	4	3,644.59	4	3,285.85	4	2,927.10	4	2,568.36	4	2,209.62	4	1,850.87	4	1,492.13	4	1,133.38	4	775.13	4	417.21	4	67.30	4	
1/4		1/4	3,995.86	1/4	3,637.12	1/4	3,278.37	1/4	2,919.63	1/4	2,560.89	1/4	2,202.14	1/4	1,843.40	1/4	1,484.65	1/4	1,125.91	1/4	767.69	1/4	409.73	1/4	60.42	1/4	
1/2		1/2	3,988.39	1/2	3,629.64	1/2	3,270.90	1/2	2,912.16	1/2	2,553.41	1/2	2,194.67	1/2	1,835.92	1/2	1,477.18	1/2	1,118.44	1/2	760.25	1/2	402.26	1/2	53.18	1/2	
3/4		3/4	3,980.91	3/4	3,622.17	3/4	3,263.43	3/4	2,904.68	3/4	2,545.94	3/4	2,187.19	3/4	1,828.45	3/4	1,469.71	3/4	1,110.96	3/4	752.81	3/4	394.78	3/4	46.41	3/4	
5		5	3,973.44	5	3,614.70	5	3,255.95	5	2,897.21	5	2,538.46	5	2,179.72	5	1,820.98	5	1,462.23	5	1,103.49	5	745.37	5	387.31	5	40.10	5	
1/4		1/4	3,965.97	1/4	3,607.22	1/4	3,248.48	1/4	2,889.73	1/4	2,530.99	1/4	2,172.25	1/4	1,813.50	1/4	1,454.76	1/4	1,096.01	1/4	737.92	1/4	379.84	1/4	34.26	1/4	
1/2		1/2	3,958.49	1/2	3,599.75	1/2	3,241.00	1/2	2,882.26	1/2	2,523.52	1/2	2,164.77	1/2	1,806.03	1/2	1,447.28	1/2	1,088.54	1/2	730.48	1/2	372.36	1/2	28.89	1/2	
3/4	4,251.67	3/4	3,951.02	3/4	3,592.27	3/4	3,233.53	3/4	2,874.79	3/4	2,516.04	3/4	2,157.30	3/4	1,798.55	3/4	1,439.81	3/4	1,081.07	3/4	723.04	3/4	364.89	3/4	23.99	3/4	
6	4,250.31	6	3,943.55	6	3,584.80	6	3,226.06	6	2,867.31	6	2,508.57	6	2,149.82	6	1,791.08	6	1,432.34	6	1,073.59	6	715.60	6	357.41	6	19.55	6	
1/4	4,248.61	1/4	3,936.07	1/4	3,577.33	1/4	3,218.58	1/4	2,859.84	1/4	2,501.09	1/4	2,142.35	1/4	1,783.61	1/4	1,424.86	1/4	1,066.12	1/4	708.16	1/4	349.94	1/4	15.58	1/4	
1/2	4,246.58	1/2	3,928.60	1/2	3,569.85	1/2	3,211.11	1/2	2,852.37	1/2	2,493.62	1/2	2,134.88	1/2	1,776.13	1/2	1,417.39	1/2	1,058.64	1/2	700.72	1/2	342.47	1/2		1/2	
3/4	4,244.20	3/4	3,921.12	3/4	3,562.38	3/4	3,203.64	3/4	2,844.89	3/4	2,486.15	3/4	2,127.40	3/4	1,768.66	3/4	1,409.91	3/4	1,051.17	3/4	693.28	3/4	334.99	3/4		3/4	
7	4,241.48	7	3,913.65	7	3,554.91	7	3,196.16	7	2,837.42	7	2,478.67	7	2,119.93	7	1,761.18	7	1,402.44	7	1,043.70	7	685.84	7	327.52	7		7	
1/4	4,238.42	1/4	3,906.18	1/4	3,547.43	1/4	3,188.69	1/4	2,829.94	1/4	2,471.20	1/4	2,112.46	1/4	1,753.71	1/4	1,394.97	1/4	1,036.22	1/4	678.40	1/4	320.05	1/4		1/4	
1/2	4,235.02	1/2	3,898.70	1/2	3,539.96	1/2	3,181.21	1/2	2,822.47	1/2	2,463.73	1/2	2,104.98	1/2	1,746.24	1/2	1,387.49	1/2	1,028.75	1/2	670.96	1/2	312.57	1/2		1/2	
3/4	4,231.29	3/4	3,891.23	3/4	3,532.48	3/4	3,173.74	3/4	2,815.00	3/4	2,456.25	3/4	2,097.51	3/4	1,738.76	3/4	1,380.02	3/4	1,021.28	3/4	663.51	3/4	305.10	3/4		3/4	
8	4,227.21	8	3,883.75	8	3,525.01	8	3,166.27	8	2,807.52	8	2,448.78	8	2,090.03	8	1,731.29	8	1,372.55	8	1,013.80	8	656.07	8	297.62	8		8	
1/4	4,222.80	1/4	3,876.28	1/4	3,517.54	1/4	3,158.79	1/4	2,800.05	1/4	2,441.30	1/4	2,082.56	1/4	1,723.82	1/4	1,365.07	1/4	1,006.33	1/4	648.63	1/4	290.15	1/4		1/4	
1/2	4,218.04	1/2	3,868.81	1/2	3,510.06	1/2	3,151.32	1/2	2,792.57	1/2	2,433.83	1/2	2,075.09	1/2	1,716.34	1/2	1,357.60	1/2	998.85	1/2	641.19	1/2	282.68	1/2		1/2	
3/4	4,212.94	3/4	3,861.33	3/4	3,502.59	3/4	3,143.84	3/4	2,785.10	3/4	2,426.36	3/4	2,067.61	3/4	1,708.87	3/4	1,350.12	3/4	991.38	3/4	633.75	3/4	275.20	3/4		3/4	
9	4,207.51	9	3,853.86	9	3,495.12	9	3,136.37	9	2,777.63	9	2,418.88	9	2,060.14	9	1,701.39	9	1,342.65	9	983.91	9	626.31	9	267.73	9		9	
1/4	4,201.73	1/4	3,846.39	1/4	3,487.64	1/4	3,128.90	1/4	2,770.15	1/4	2,411.41	1/4	2,052.66	1/4	1,693.92	1/4	1,335.18	1/4	976.43	1/4	618.87	1/4	260.25	1/4		1/4	
1/2	4,195.62	1/2	3,838.91	1/2	3,480.17	1/2	3,121.42	1/2	2,762.68	1/2	2,403.93	1/2	2,045.19	1/2	1,686.45	1/2	1,327.70	1/2	968.96	1/2	611.43	1/2	252.78	1/2		1/2	
3/4	4,189.16	3/4	3,831.44	3/4	3,472.69	3/4	3,113.95	3/4	2,755.21	3/4	2,396.46	3/4	2,037.72	3/4	1,678.97	3/4	1,320.23	3/4	961.48	3/4	603.99	3/4	245.31	3/4		3/4	
10	4,182.37	10	3,823.96	10	3,465.22	10	3,106.48	10	2,747.73	10	2,388.99	10	2,030.24	10	1,671.50	10	1,312.75	10	954.01	10	596.54	10	237.83	10		10	
1/4	4,175.23	1/4	3,816.49	1/4	3,457.75	1/4	3,099.00	1/4	2,740.26	1/4	2,381.51	1/4	2,022.77	1/4	1,664.03	1/4	1,305.28	1/4	946.54	1/4	589.10	1/4	230.36	1/4		1/4	
1/2	4,167.76	1/2	3,809.02	1/2	3,450.27	1/2	3,091.53	1/2	2,732.78	1/2	2,374.04	1/2	2,015.30	1/2	1,656.55	1/2	1,297.81	1/2	939.06	1/2	581.63	1/2	222.89	1/2		1/2	
3/4	4,160.29	3/4	3,801.54	3/4	3,442.80	3/4	3,084.05	3/4	2,725.31	3/4	2,366.57	3/4	2,007.82	3/4	1,649.08	3/4	1,290.33	3/4	931.59	3/4	574.16	3/4	215.41	3/4		3/4	
11	4,152.81	11	3,794.07	11	3,435.32	11	3,076.58	11																			

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL ULLAGE GAUGING AT 8" GAUGE HATCH

HULL No. 05-2549

Table with columns for height (0 FT to 13 FT) and depth (0 to 3/4), and rows for ullage measurements (0 to 11). Each cell contains a numerical value representing capacity in barrels.

NOTE: GAUGE POINT: TOP LIP OF 8" GAUGE HATCH OPPOSITE HINGE
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 12' 6" HERMETIC

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/12/08 BY: JF
DATE COMPUTED: 10/16/08 BY: WHF
DATE ISSUED: 10/17/08

INTERTEK - CALEB BRETT

Handwritten signature

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL ULLAGE GAUGING AT 8" GAUGE HATCH

HULL No. 05-2549

Table with columns for depth (0 to 13 FT) and ullage measurements (IN) at various heights (0, 1/4, 1/2, 3/4). Each cell contains a numerical value representing capacity in barrels.

NOTE: GAUGE POINT: TOP LIP OF 8" GAUGE HATCH OPPOSITE HINGE  
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
REFERENCE GAUGE HEIGHT: 12' 2 1/2" HERMETIC

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/12/08 BY: JF  
DATE COMPUTED: 10/16/08 BY: WHF  
DATE ISSUED: 10/17/08

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL ULLAGE GAUGING AT 8" GAUGE HATCH

HULL No. 05-2549

Table with columns for depth (0 FT. to 13 FT.) and sub-columns for gauge heights (0, 1/4, 1/2, 3/4). Each cell contains capacity values in barrels.

NOTE: GAUGE POINT: TOP LIP OF 8" GAUGE HATCH OPPOSITE HINGE  
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
REFERENCE GAUGE HEIGHT: 12' 2 1/2" HERMETIC

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/12/08 BY: JF  
DATE COMPUTED: 10/16/08 BY: WHF  
DATE ISSUED: 10/17/08



GAUGE HEIGHT - PORT: 3' 10 1/2"  
 GAUGE HEIGHT - STBD: 3' 11"

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.
<b>0</b>	0	<b>6</b>	1,077	<b>0</b>	2,154	<b>6</b>	3,231	<b>0</b>	4,308	<b>6</b>	5,385	<b>0</b>	6,462	<b>6</b>	<u>7,472</u>	<b>0</b>		<b>6</b>	
1/8	22	1/8	1,099	1/8	2,176	1/8	3,254	1/8	4,331	1/8	5,408	1/8	6,485	1/8		1/8		1/8	
1/4	45	1/4	1,122	1/4	2,199	1/4	3,276	1/4	4,353	1/4	5,430	1/4	6,507	1/4		1/4		1/4	
3/8	67	3/8	1,144	3/8	2,221	3/8	3,298	3/8	4,375	3/8	5,452	3/8	6,529	3/8		3/8		3/8	
1/2	90	1/2	1,167	1/2	2,244	1/2	3,321	1/2	4,398	1/2	5,475	1/2	6,552	1/2		1/2		1/2	
5/8	112	5/8	1,189	5/8	2,266	5/8	3,343	5/8	4,420	5/8	5,497	5/8	6,574	5/8		5/8		5/8	
3/4	135	3/4	1,212	3/4	2,289	3/4	3,366	3/4	4,443	3/4	5,520	3/4	6,597	3/4		3/4		3/4	
7/8	157	7/8	1,234	7/8	2,311	7/8	3,388	7/8	4,465	7/8	5,542	7/8	6,619	7/8		7/8		7/8	
<b>1</b>	180	<b>7</b>	1,257	<b>1</b>	2,334	<b>7</b>	3,411	<b>1</b>	4,488	<b>7</b>	5,565	<b>1</b>	6,642	<b>7</b>		<b>1</b>		<b>7</b>	
1/8	202	1/8	1,279	1/8	2,356	1/8	3,433	1/8	4,510	1/8	5,587	1/8	6,664	1/8		1/8		1/8	
1/4	224	1/4	1,301	1/4	2,378	1/4	3,455	1/4	4,532	1/4	5,610	1/4	6,687	1/4		1/4		1/4	
3/8	247	3/8	1,324	3/8	2,401	3/8	3,478	3/8	4,555	3/8	5,632	3/8	6,709	3/8		3/8		3/8	
1/2	269	1/2	1,346	1/2	2,423	1/2	3,500	1/2	4,577	1/2	5,654	1/2	6,731	1/2		1/2		1/2	
5/8	292	5/8	1,369	5/8	2,446	5/8	3,523	5/8	4,600	5/8	5,677	5/8	6,754	5/8		5/8		5/8	
3/4	314	3/4	1,391	3/4	2,468	3/4	3,545	3/4	4,622	3/4	5,699	3/4	6,776	3/4		3/4		3/4	
7/8	337	7/8	1,414	7/8	2,491	7/8	3,568	7/8	4,645	7/8	5,722	7/8	6,799	7/8		7/8		7/8	
<b>2</b>	359	<b>8</b>	1,436	<b>2</b>	2,513	<b>8</b>	3,590	<b>2</b>	4,667	<b>8</b>	5,744	<b>2</b>	6,821	<b>8</b>		<b>2</b>		<b>8</b>	
1/8	381	1/8	1,458	1/8	2,535	1/8	3,613	1/8	4,690	1/8	5,767	1/8	6,844	1/8		1/8		1/8	
1/4	404	1/4	1,481	1/4	2,558	1/4	3,635	1/4	4,712	1/4	5,789	1/4	6,866	1/4		1/4		1/4	
3/8	426	3/8	1,503	3/8	2,580	3/8	3,657	3/8	4,734	3/8	5,811	3/8	6,888	3/8		3/8		3/8	
1/2	449	1/2	1,526	1/2	2,603	1/2	3,680	1/2	4,757	1/2	5,834	1/2	6,911	1/2		1/2		1/2	
5/8	471	5/8	1,548	5/8	2,625	5/8	3,702	5/8	4,779	5/8	5,856	5/8	6,933	5/8		5/8		5/8	
3/4	494	3/4	1,571	3/4	2,648	3/4	3,725	3/4	4,802	3/4	5,879	3/4	6,956	3/4		3/4		3/4	
7/8	516	7/8	1,593	7/8	2,670	7/8	3,747	7/8	4,824	7/8	5,901	7/8	6,978	7/8		7/8		7/8	
<b>3</b>	539	<b>9</b>	1,616	<b>3</b>	2,693	<b>9</b>	3,770	<b>3</b>	4,847	<b>9</b>	5,924	<b>3</b>	7,001	<b>9</b>		<b>3</b>		<b>9</b>	
1/8	561	1/8	1,638	1/8	2,715	1/8	3,792	1/8	4,869	1/8	5,946	1/8	7,023	1/8		1/8		1/8	
1/4	583	1/4	1,660	1/4	2,737	1/4	3,814	1/4	4,891	1/4	5,969	1/4	7,046	1/4		1/4		1/4	
3/8	606	3/8	1,683	3/8	2,760	3/8	3,837	3/8	4,914	3/8	5,991	3/8	7,068	3/8		3/8		3/8	
1/2	628	1/2	1,705	1/2	2,782	1/2	3,859	1/2	4,936	1/2	6,013	1/2	7,090	1/2		1/2		1/2	
5/8	651	5/8	1,728	5/8	2,805	5/8	3,882	5/8	4,959	5/8	6,036	5/8	7,113	5/8		5/8		5/8	
3/4	673	3/4	1,750	3/4	2,827	3/4	3,904	3/4	4,981	3/4	6,058	3/4	7,135	3/4		3/4		3/4	
7/8	696	7/8	1,773	7/8	2,850	7/8	3,927	7/8	5,004	7/8	6,081	7/8	7,158	7/8		7/8		7/8	
<b>4</b>	718	<b>10</b>	1,795	<b>4</b>	2,872	<b>10</b>	3,949	<b>4</b>	5,026	<b>10</b>	6,103	<b>4</b>	7,180	<b>10</b>		<b>4</b>		<b>10</b>	
1/8	740	1/8	1,817	1/8	2,895	1/8	3,972	1/8	5,049	1/8	6,126	1/8	7,203	1/8		1/8		1/8	
1/4	763	1/4	1,840	1/4	2,917	1/4	3,994	1/4	5,071	1/4	6,148	1/4	7,225	1/4		1/4		1/4	
3/8	785	3/8	1,862	3/8	2,939	3/8	4,016	3/8	5,093	3/8	6,170	3/8	7,247	3/8		3/8		3/8	
1/2	808	1/2	1,885	1/2	2,962	1/2	4,039	1/2	5,116	1/2	6,193	1/2	7,270	1/2		1/2		1/2	
5/8	830	5/8	1,907	5/8	2,984	5/8	4,061	5/8	5,138	5/8	6,215	5/8	7,292	5/8		5/8		5/8	
3/4	853	3/4	1,930	3/4	3,007	3/4	4,084	3/4	5,161	3/4	6,238	3/4	7,315	3/4		3/4		3/4	
7/8	875	7/8	1,952	7/8	3,029	7/8	4,106	7/8	5,183	7/8	6,260	7/8	7,337	7/8		7/8		7/8	
<b>5</b>	898	<b>11</b>	1,975	<b>5</b>	3,052	<b>11</b>	4,129	<b>5</b>	5,206	<b>11</b>	6,283	<b>5</b>	7,360	<b>11</b>		<b>5</b>		<b>11</b>	
1/8	920	1/8	1,997	1/8	3,074	1/8	4,151	1/8	5,228	1/8	6,305	1/8	7,380	1/8		1/8		1/8	
1/4	942	1/4	2,019	1/4	3,096	1/4	4,173	1/4	5,250	1/4	6,328	1/4	7,399	1/4		1/4		1/4	
3/8	965	3/8	2,042	3/8	3,119	3/8	4,196	3/8	5,273	3/8	6,350	3/8	7,416	3/8		3/8		3/8	
1/2	987	1/2	2,064	1/2	3,141	1/2	4,218	1/2	5,295	1/2	6,372	1/2	7,431	1/2		1/2		1/2	
5/8	1,010	5/8	2,087	5/8	3,164	5/8	4,241	5/8	5,318	5/8	6,395	5/8	7,444	5/8		5/8		5/8	
3/4	1,032	3/4	2,109	3/4	3,186	3/4	4,263	3/4	5,340	3/4	6,417	3/4	7,455	3/4		3/4		3/4	
7/8	1,055	7/8	2,132	7/8	3,209	7/8	4,286	7/8	5,363	7/8	6,440	7/8	7,464	7/8		7/8		7/8	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

**INTERTEK - CALEB BRETT**

DATE STRAPPED: 9/16/08 BY: JF  
 DATE COMPUTED: 10/11/08 BY: WHF  
 DATE ISSUED: 10/14/08

