

SAFETY DATA SHEET Sodium Carbonate, Anhydrous

SDS #: 497-19-8

Revision date: 2024-12-06

Format: NA Version 5.10

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Soda Ash

Other means of identification

Product Code(s) 497-19-8

Synonyms Sodium carbonate, anhydrous; Carbonic acid, disodium salt; Disodium carbonate

Chemical Family Alkali salt

Recommended use of the chemical and restrictions on use

Recommended Use: Glass manufacture, Personal care, Detergent, Water treatment chemical, Chemical

processing

Restrictions on Use: See section 16 for more information

Manufacturer Address

Genesis Alkali Wyoming, LP 1735 Market Street Philadelphia, PA 19103

Tel: +1 877-362-2248 or +1 215-845-4500

www.alkali.genesisenergy.com

Emergency telephone number

1 307 / 872 2452 (Plant - Green River, WY) 1 303/389-1409 (Medical - U.S. - Call Collect)

For leak, fire, spill or accident emergencies, call:

1 800 / 424 9300 (CHEMTREC - U.S.A.)

1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

SDS #: 497-19-8 **Revision date**: 2024-12-06

Version 5.10

Serious eye damage/eye irritation Category 2A

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Warning

Hazard Statements

H319 - Causes serious eye irritation



Precautionary Statements - Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

May be harmful if swallowed.

Prolonged or repeated contact may dry skin and cause irritation

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical FamilyAlkali salt.FormulaNa2CO3

Chemical name	CAS-No	Weight %
Sodium carbonate	497-19-8	100

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician.

Skin Contact Wash off with warm water and soap. Get medical attention if irritation develops and

persists. Remove and wash contaminated clothing before re-use.

Inhalation Remove person to fresh air. If signs/symptoms continue, get medical attention.

Ingestion Never give anything by mouth to an unconscious person Get medical attention if symptoms

occur

SDS #: 497-19-8 **Revision date**: 2024-12-06

Version 5.10

Most important symptoms and effects, both acute and delayed

Causes serious eye damage / eye irritation.

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing MediaUse extinguishing agent suitable for type of surrounding fire.

Specific Hazards Arising from the Chemical

Non-combustible, substance itself does not burn but may decompose upon heating to

produce corrosive and/or toxic fumes

Hazardous Combustion Products Fumes of sodium oxide. Carbon oxides (COx).

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge Not sensitive. Not sensitive.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Avoid dust formation. Sweep up to prevent slipping hazard.

Other For further clean-up instructions, call Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions Do not flush into surface water or sanitary sewer system.

Methods for Containment Prevent large quantities of this product from contacting vegetation or waterways. Cover with

plastic sheet to prevent spreading. Pick up and transfer to properly labeled containers.

Keep in suitable and closed containers for disposal.

Methods for cleaning up Pick up and transfer to properly labeled containers. Keep in suitable and closed containers

for disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling Use air conveying/mechanical systems for bulk transfer to storage. Provide appropriate

exhaust ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment if release of airborne dust is expected. Make sure the locations of the eye washers and safety showers are close to the workstation locations.

Storage Store in original container. Keep in properly labeled containers. Keep container tightly

closed.

Incompatible products Aluminum. Powdered aluminum. Acids

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Ingredient	Agency	Workplace Exposure Limits
Carbonic acid sodium salt (1:2)	OSHA PEL (TWA) (mg/m ³)	10 mg/m ³ Total dust;
		5 mg/m ³ Respirable fraction
Carbonic acid sodium salt (1:2)	MSHA	10 mg/m ³ Total dust

SDS #: 497-19-8 **Revision date**: 2024-12-06

Version 5.10

8.2 Exposure

Appropriate engineering controls

Engineering measures Where reasonably practicable this should be achieved by the use of local exhaust

ventilation and good general extraction.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Wear safety glasses or protective glasses with side shields. If splash potential exists, wear full face shield or chemical goggles.

Skin and Body Protection

1

Wear suitable protective clothing. Protective shoes or boots.

Hand Protection

Wear protective gloves. If handling solutions, impervious gloves recommended

(e.g. Nitrile or Neoprene)

Respiratory Protection

2

In case of inadequate ventilation wear respiratory protection.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice. Make sure the

locations of the eye washers and safety showers are close to the workstation locations.

General information These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

AppearanceGranulesPhysical StateSolidColorWhiteOdorodorlessOdor thresholdNot applicable

pH 11.4 (1% solution in water)

Melting point/freezing point 851 °C

Boiling Point/Range No information available

Flash point Not applicable

Evaporation Rate No information available

Flammability (solid, gas)

Non-combustible, substance itself does not burn but may decompose upon heating to

produce corrosive and/or toxic fumes

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
No information available

Specific gravity 2.52

Water solubility212.5 g/L @ 20 °CSolubility in other solventsNo information availablePartition coefficientNo information availableAutoignition temperatureNo information available

Decomposition temperature 400 °C

Sodium Carbonate, Anhydrous

SDS #: 497-19-8

Revision date: 2024-12-06

Version 5.10

Viscosity, kinematicNo information availableViscosity, dynamicNo information available

Explosive properties Not explosive Oxidizing properties Non-oxidizing Molecular weight 105.99

Bulk density 0.86 - 1.12 g/cm³ (Dense grades) 0.70 - 0.90 g/cm³ (Light Grades)

K_{st} 0 bar m/s

10. STABILITY AND REACTIVITY

Reactivity None under normal use conditions.

Chemical Stability Stable. Decomposes by reaction with strong acid.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Exposure to air or moisture over prolonged periods.

Incompatible materials Aluminum. Powdered aluminum. Acids.

Hazardous Decomposition Products Sodium oxides. Carbon oxides (COx).

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral 2,800 mg/kg (rat) **LD50 Dermal** > 2,000 mg/kg (rabbit)

LC50 Inhalation

Eye Contact Irritating to eyes. **Skin Contact** Non-irritating

Sensitization Patch test on human volunteers did not demonstrate sensitization properties.

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity No known effect.

Mutagenicity No information available

Carcinogenicity Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

No information available.
No information available.
No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Sodium carbonate (497-19-8)						
Active Ingredient(s)	Duration	Species	Value	Units		
Sodium Carbonate	96 h LC50	Bluegill sunfish	300	mg/L		
Sodium Carbonate	48 h EC50	Ceriodaphnia	200-227	mg/L		

Sodium Carbonate, Anhydrous

SDS #: 497-19-8

Revision date: 2024-12-06

Version 5.10

Persistence and degradability Biodegradability does not pertain to inorganic substances.

Bioaccumulation Does not bio-accumulate.

Mobility Dissociates into ions.

Other Adverse Effects None known.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOTNOT REGULATEDTDGNOT REGULATEDICAO/IATANOT REGULATEDIMDG/IMONOT REGULATED

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazardYesChronic health hazardNoFire hazardNoSudden release of pressure hazardNoReactive HazardNo

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

U.S. State Right-to-Know Regulations

This product is not listed on state right-to-know regulations

International Inventories

SDS #: 497-19-8

Revision date: 2024-12-06

Version 5.10

Component	TSCA (United States)	DSL (Canada)	EINECS/ELI NCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Sodium carbonate 497-19-8 (100)	Х	Х	Х	Х	Х	Х	Х	Х

Mexico - Grade Moderate risk, Grade 2

16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 0	Instability 0	Special Hazards -
HMIS	Health Hazards 2	Flammability 0	Physical hazard 0	Personal Protection X

NFPA/HMIS Ratings Legend

Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Product Certifications

This product is certified to NSF/ANSI/CAN Standard 60 for use in drinking water treatment at the specified maximum use limit. The MUL (maximum use level) for sodium carbonate, anhydrous is 150 mg/L under NSF/ANSI/CAN Standard 60.







Halal: IFANCA

Revision date: 2024-12-06

Revision note: Updated NSF logo and statement

Disclaimer

Genesis Alkali, LLC believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use are beyond the control of Genesis Alkali, LLC; Genesis Alkali, LLC expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

Genesis Alkali, LLC

Genesis Alkali Logo - Trademark of Genesis Alkali, LLC

© 2017 Genesis Alkali, LLC. All Rights Reserved.

End of Safety Data Sheet